




## 3 Core XLPE Heat Shrink Joints 17.5 to 33kV



### Three Core XLPE 17.5kV Joints

Part Number	Voltage	Cable Range
SPAJ 17.5X-16-35-3	17.5kV	16-35mm <sup>2</sup>
SPAJ 17.5X-50-95-3	17.5kV	50-95mm <sup>2</sup>
SPAJ 17.5X-120-185-3	17.5kV	120-185mm <sup>2</sup>
SPAJ 17.5X-240-300-3	17.5kV	240-300mm <sup>2</sup>

### Three Core XLPE 24kV Joints

Part Number	Voltage	Cable Range
SPAJ 24X-16-35-3	24kV	16-35mm <sup>2</sup>
SPAJ 24X-50-95-3	24kV	50-95mm <sup>2</sup>
SPAJ 24X-120-185-3	24kV	120-185mm <sup>2</sup>
SPAJ 24X-240-300-3	24kV	240-300mm <sup>2</sup>

### Three Core XLPE 33kV Joints


Part Number	Voltage	Cable Range
SPAJ 36X-35-95-3	33kV	35-95mm <sup>2</sup>
SPAJ 36X-120-185-3	33kV	120-185mm <sup>2</sup>
SPAJ 36X-240-300-3	33kV	240-300mm <sup>2</sup>

**Note:** For trifurcating applications (3 core jointing to 3 x single core) add the letters “TRIF” in the part number.

*Example: SPAJ 36X-120-185-3-TRIF*



## 3 Core PILC Heat Shrink Joints 17.5 to 33kV



### Three Core PILC 17.5kV Joints

Part Number	Voltage	Cable Range
SPAJ 17.5P-25-50-3	17.5kV	25-50mm <sup>2</sup>
SPAJ 17.5P-70-95-3	17.5kV	70-95mm <sup>2</sup>
SPAJ 17.5P-120-185-3	17.5kV	120-185mm <sup>2</sup>
SPAJ 17.5P-240-400-3	17.5kV	240-400mm <sup>2</sup>

### Three Core PILC 24kV Joints

Part Number	Voltage	Cable Range
SPAJ 24P-25-35-3	24kV	25-35mm <sup>2</sup>
SPAJ 24P-50-95-3	24kV	50-95mm <sup>2</sup>
SPAJ 24P-120-185-3	24kV	120-185mm <sup>2</sup>
SPAJ 24P-240-300-3	24kV	240-300mm <sup>2</sup>


### Three Core PILC 33kV Joints

Part Number	Voltage	Cable Range
SPAJ 36P-50-95-3	33kV	50-95mm <sup>2</sup>
SPAJ 36P-120-185-3	33kV	120-185mm <sup>2</sup>
SPAJ 36P-240-300-3	33kV	240-300mm <sup>2</sup>

**Note:** For trifurcating applications (3 core jointing to 3 x single core) add the letters “TRIF” after part number.

*Example: SPAJ 36P-120-185-3-TRIF*

## 3 Core XLPE to PILC Transition Heat Shrink Joints 17.5 to 33kV



**Three Core XLPE To PILC 17.5kV Joints**

Part Number	Voltage	Cable Range
SPAJ 17.5PX-25-50-3	17.5kV	25-50mm <sup>2</sup>
SPAJ 17.5PX-70-95-3	17.5kV	70-95mm <sup>2</sup>
SPAJ 17.5PX-120-185-3	17.5kV	120-185mm <sup>2</sup>
SPAJ 17.5PX-240-300-3	17.5kV	240-300mm <sup>2</sup>

**Three Core XLPE To PILC 24kV Joints**

Part Number	Voltage	Cable Range
SPAJ 24PX-25-35-3	24kV	25-35mm <sup>2</sup>
SPAJ 24PX-50-95-3	24kV	50-95mm <sup>2</sup>
SPAJ 24PX-120-185-3	24kV	120-185mm <sup>2</sup>
SPAJ 24PX-240-300-3	24kV	240-300mm <sup>2</sup>

**Three Core XLPE to PILC 33kV Joints**

Part Number	Voltage	Cable Range
SPAJ 36PX-35-95-3	33kV	35-95mm <sup>2</sup>
SPAJ 36PX-120-185-3	33kV	120-185mm <sup>2</sup>
SPAJ 36PX-240-300-3	33kV	240-300mm <sup>2</sup>

**Note:** For trifurcating applications (3 core jointing to 3 x single core) add the letters “TRIF” after part number.  
*Example: SPAJ 36PX-120-185-3-TRIF*